

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

1 Identification

- [•] Product identifier
- · Trade name: Flintlastic® STA
- · Other means of identification: No other identifiers

· Recommended use and restriction on use

- · Recommended use: Weatherproofing
- · Restrictions on use: Contact manufacturer

[•] Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: CertainTeed Corporation 20 Moores Road Malvern, PA 19355 610-893-6000

• Emergency telephone number:

CHEMTREC 1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

[·] Label elements

· GHS label elements Not regulated.

- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- Precautionary statements: Not regulated.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients					
· Chemical c	haracterization: Mixtures				
· Componen	ts:				
8052-42-4	Asphalt	45-5	55%		
1317-65-3	limestone	10-3	30%		
14808-60-7	Quartz (SiO2)	Carc. 1A, H350; STOT RE 1, H372 <10)%		
	information:				

Non-classification as a carcinogen is based on non-respirable form of product.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

(Cont'd. of page 1)

4 First-aid measures

[•] Description of first aid measures

· After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Brush off loose particles from skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Unlikely route of exposure.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed: No relevant information available.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures:** Ensure adequate ventilation.

• Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

(Cont'd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

Handling

• Precautions for safe handling: Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep respiratory protective device available.

 $^{\rm \cdot}$ Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

[•] Control parameters

· Components w	rith limit values that require monitoring at the workplace:		
8052-42-4 Asph	nalt		
REL (USA)	Ceiling limit value: 5* mg/m³ *15-min; See Pocket Guide App. A		
TLV (USA)	Long-term value: 0.5* mg/m³ *inh. fraction; as benzene-soluble aerosol; BEIp		
EL (Canada)	Long-term value: 0.5 mg/m³ inhalable, IARC 2B		
EV (Canada)	Long-term value: 0.5 mg/m³ fume, as benzene-soluble aerosol, inhalable		
LMPE (Mexico)	Long-term value: 0.5* mg/m³ A4, IBEp;*fracción inhalable		
1317-65-3 limes	stone		
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction		
TLV (USA)	TLV withdrawn		
14808-60-7 Qua	artz (SiO2)		
PEL (USA)	see Quartz listing		
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A		
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction		
<u> </u>	(Cont'd. on page 4)		

Revision: 08/24/2016

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

· Odor:

· pH-value:

· Odor threshold:

• Melting point/Melting range:

Trade name: Flintlastic® STA

(Cont'd. of page 3) EL (Canada) Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1 Long-term value: 0.10* mg/m³ EV (Canada) *respirable fraction LMPE (Mexico) Long-term value: 0.025* mg/m³ A2, *fracción respirable • Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid close or long term contact with the skin. Avoid contact with the eves. · Engineering controls: No relevant information available. · Breathing equipment: Not required under normal conditions of use. Use respiratory protection when grinding or cutting material. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eve protection: Safety glasses Follow relevant national guidelines concerning the use of protective evewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment Avoid release to the environment. · Risk management measures See Section 7 for additional information. 9 Physical and chemical properties · Information on basic physical and chemical properties · Appearance: Form: Solid Color: Black

Petroleum-like

Not determined.

Not applicable.

Not determined.

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

		(Cont'd. of pag
· Boiling point/Boiling range:	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper: Not determined.		
• Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic: Not applicable.		
• Other information No relevant information available.		

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions:

Reacts with strong oxidizing agents.

Reacts with strong acids and alkali.

· Conditions to avoid: Excessive heat.

· Incompatible materials: Oxidizers, strong bases, strong acids

• Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Cont'd. on page 6)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

(Cont'd. of page 5)

1

2B

Κ

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

14808-60-7 Quartz (SiO2)

8052-42-4 Asphalt

NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure: Skin contact.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

Additional ecological information

· General notes: Avoid release to the environment.

[•] Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

• Other adverse effects: No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

(Cont'd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	x II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
United States (USA)
SARA
Section 302 (extremely hazardous substances):
None of the ingredients are listed.
Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

· Section 313 (Specific toxic chemical listings):	(Cont'd. of page
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
References to chemical components listed below are based on unbound generally applicable to product as supplied.	respirable particles and are
8052-42-4 Asphalt	
14808-60-7 Quartz (SiO2)	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
• IARC (International Agency for Research on Cancer): References to chemical components listed below are based on unbound generally applicable to product as supplied.	
8052-42-4 Asphalt	2
14808-60-7 Quartz (SiO2)	1
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
8052-42-4 Asphalt	
14808-60-7 Quartz (SiO2)	
· Canadian Domestic Substances List (DSL):	
All ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 08/24/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Cont'd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 08/24/2016

Revision: 08/24/2016

Trade name: Flintlastic® STA

(Cont'd. of page 8)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Carc. 1A: Carcinogenicity - Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com