



FEATHERWEIGHT

PN#: SU82109

© 2018 Summit Treestands, LLC | 715 Summit Dr. Decatur, AL 35601
PH#: (800) 353-0634 | www.summitstands.com



WARNING

FAILURE TO READ AND FOLLOW ALL MANUFACTURER'S WARNINGS AND INSTRUCTIONS CONSTITUTES A MISUSE OF THIS PRODUCT AND COULD RESULT IN SERIOUS INJURY OR DEATH!!

FIXED POSITION TREESTAND SAFE USAGE INSTRUCTIONS AND WARNINGS



WARNING! ATTENTION!! WHEN YOU SEE THIS SYMBOL, BE SURE TO HEED THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE!!

WEIGHT LIMITS

SUMMIT PN# SU82109 FEATHERWEIGHT

CARRYING CAPACITY (USER AND EQUIPMENT)

300 LBS / 136 KGS

Thank you for your purchase of this Summit product. Please carefully read this Instruction Manual in its entirety before attempting to assemble, set-up, install, or otherwise use this Summit product. Failure to follow these instructions may result in serious injury or death! Should you have any questions about the installation and / or use of this product, please call one of our customer service representatives at 1-800-353-0634 or visit us online at "www.summitstands.com". Our customer service representatives will answer any questions you may have about this product, or any other Summit products.

When used herein, "Treestand" includes Tripods, Climbing Stands, Fixed Position Stands (Hang-On), Ladder Stands, and Towers (Free Standing Platform).



Do not use if you do not have a complete understanding of the safe and proper use of this treestand! Failure to follow all written and oral instructions provided with this product may result in serious injury or death!



A treestand safety DVD has been included with this product. It is required that you view the content in its entirety prior to using this, or any other Summit product. Failure to follow these instructions may result in serious injury or death!



This product carries strict weight restrictions. Please note that these weight limitations include the user and their equipment. DO NOT use this product if you exceed these total weight limitations. Failure to follow these instructions may result in serious injury or death!



When hunting from a treestand, falls can occur any time after leaving the ground! Any fall may cause serious injury or death! The use of a full-body fall arrest harness system (FBFAHS) is required when using this, or any other Summit treestand. If a FBFAHS is not present, hunt from ground level!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 1

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.

PRINTED IN CHINA

FEATHERWEIGHT 10/20/18





WARNING! ATTENTION!! WHEN YOU SEE THIS SYMBOL, BE SURE TO HEED THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE!!



The use of a ASTM compliant FBFAHS with a lineman's climbing belt is required at all times when installing, using, or removing a hang-on treestand to stabilize the user with the tree. Failure to follow these instructions may result in serious injury or death!



A lineman's climbing belt allows the user to remain attached to the tree through climbing and descent so that they may remain attached to the tree from the moment they leave the ground until they return back to the ground. The FBFAHS must be used and attached to the tree prior to gaining entry upon the treestand platform, and should be worn and attached to the tree at all times while using this treestand until safely back at ground level. Read and follow all instructions that were provided with your FBFAHS. Failure to follow these instructions may result in serious injury or death!



When using a Fixed-Position treestand, never be disconnected from the tree for any reason, or at any time positioning into the treestand or around obstacles. A FBFAHS is required at all times above ground level.



Always maintain three (3) points of contact to any climbing aid when climbing up or down a tree. Proper three (3) point contact means having either two (2) feet and one (1) hand or one (1) foot with two (2) hands on the step portion of the ladder or climbing aid. Failure to follow these instructions may result in serious injury or death!



Prior to each hunt, always notify someone of your hunting location, including the exact position of your treestand and the duration of your hunt, in case of emergency. It is necessary and very important that someone knows your hunting location and time of return. It is also very important that you carry (on your person) emergency communication devices such as a cell phone, two-way radio, whistle, signal flare, or a Personal Locator Device (PLD) within easy access, and readily available at all times. A personal locator device-FCC approved July 03, when triggered will transmit an emergency signal to local rescue teams identifying your location via satellite GPS coordinates. PLD's may be purchased at wilderness outfitters, or on the internet. **IF AT LEAST ONE OF THE STATED DEVICES IS NOT PRESENT, HUNT FROM THE GROUND!** Failure to follow these instructions may result in serious injury or death!



Do not remove, modify, and / or omit any portion or otherwise mechanically modify this Summit product or its assemblies in any manner unless explicitly authorized in writing by Summit. Modifications, misuse, and / or part substitution shall immediately void your factory warranty and may result in serious injury or death! If you suspect that a part (s) is missing and / or defective, please call 1-800-353-0634 for replacement of a missing or defective part. All part numbers, product marks, images, and descriptions are listed in the product diagram / parts list in these instructions. Please refer to this section when contacting Summit for missing or damaged part replacement. **ONLY USE GENUINE FACTORY AUTHORIZED SUMMIT REPLACEMENT PARTS. USE OF ANY REPLACEMENT PARTS OTHER THAN GENUINE SUMMIT PARTS VOIDS YOUR WARRANTY AND MAY RESULT IN SERIOUS INJURY OR DEATH!**



This product is designed to be used by responsible adults only. No person under the age of sixteen (16) should attempt to use this or any other Summit product without direct adult supervision. Failure to follow these instructions may result in serious injury or death!



Prior to attempting to use this or any other Summit product (s) you must take the time and become familiar with its assembly, setup, installation, and removal. You must practice setting-up and using your product (s) and full-body fall arrest harness and its components (lanyard, tether, tree belt, suspension relief device, climbing belt / lineman's belt, as applicable) at ground level prior to attempting to use it at heights above ground level. Once you have become thoroughly knowledgeable and comfortable with this Summit product (s) setup, installation and use at ground level, you are now ready to use it at heights above ground level. Failure to follow these instructions may result in serious injury or death!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 2

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





WARNING! ATTENTION!! WHEN YOU SEE THIS SYMBOL, BE SURE TO HEED THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE!!



ALWAYS inspect the treestand, straps and cables prior to every use for undue wear, deformity, corrosion or other type of defect. Protect this product from extended exposure to direct sunlight, excessive heat or freezing temperatures. **DO NOT** use this product if it shows signs of wear, rot, corrosion, cracks, deterioration, or any other type of defect. Failure to follow these instructions may result in serious injury or death!



DO NOT leave your Summit product (s) installed in the field for more than two (2) weeks (14 days) at a time. Weather, animals, vandals, and / or other environmental conditions may damage the treestand and related components, compromising the product's integrity. Tree growth can also stress and damage straps, and buckles. Always store the treestand in a cool, dry, place away from excessive sunlight when not in use. Failure to follow these instructions may result in serious injury or death!



Prior to use, **ALWAYS** inspect all ropes, straps, webbing, cables, and full-body fall arrest harness and its components for any sign of damage and / or wear including but not limited to fraying, corrosion, cuts, tears, abrasions, fading, nicks, or any signs that the webbing or cables have been fatigued or stressed by a fall or by anything including but not limited to supporting excess weights. **ALWAYS** inspect **ALL** expiration dates / tags on these items to ensure that the product usage dates have not expired. You must replace **ALL** ropes, straps, webbing, and cables every two (2) years. Never use any ropes, straps, webbing, cables, or full-body fall arrest harness or its components that has expired and / or is showing signs of damage and wear. Failure to follow these instructions may result in serious injury or death!



Always wear a Fall Arrest System (FAS) comprising of a full-body fall arrest harness, tree belt, lanyard, suspension relief device and climbing belt / lineman's belt (as applicable) at all times after leaving the ground. You must stay connected at all times after leaving the ground while using Fixed Position treestands. Single safety belts and chest harnesses are no longer allowed and should never be used. If you are not wearing a full-body fall arrest harness that is properly attached to the tree to protect you from a fall, do not leave the ground or attempt to enter your treestand. Failure to follow these instructions may result in serious injury or death!



Read and understand the manufacturer's warnings, expiration date, and instructions on how to use and how to properly adjust the harness. Practice the use of a full body harness at ground level in the presence of a responsible adult to experience the feeling of hanging suspended before using in a hunting environment. Failure to follow these instructions may result in serious injury or death!



The length of the harness tether should be minimized at all times. It should be adjusted so that it is above the head with no slack (or snug) in the seated position and you shall have the minimum amount of slack possible when climbing. Never allow the tether strap to get under your chin or around your neck. Failure to follow these instructions may result in serious injury or death!



Failure to follow harness instructions could result in not being able to return to the stand and being suspended in a harness after a fall. If others are not aware of your hunting location, and communication efforts are unsuccessful, you must have a personal plan for recovery / escape before you ascend the tree because prolonged suspension in a harness can be fatal. It is important to exercise the legs by pushing against the tree or doing other forms of continuous leg exercises to avoid blood pooling while being suspended. Hunters with varying degrees of physical fitness may require different plans to recover / escape to avoid the effects of prolonged suspension. Have a personal plan and practice it in the presence of a responsible adult before leaving the ground. No one escape / rescue plan will work for every hunter, on every tree, and in every circumstance. Only you can determine the best recover / escape plan for your hunting situation and you must have a recover / escape plan for your situation before leaving the ground. Hunt from the ground when self-recovery / escape ability is absent. Failure to follow these instructions may result in serious injury or death!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 3

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





WARNING! ATTENTION!! WHEN YOU SEE THIS SYMBOL, BE SURE TO HEED THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE!!



A suspension relief device must be on your person and readily accessible while using a harness. This device will allow the user to relieve the load on the lower extremities if suspended in a harness to help maintain circulation in the legs and help mitigate suspension trauma (blood pooling) or allow descent to the ground. Be sure to follow the manufacturer's directions on the safe use of any suspension relief device. Failure to follow these instructions may result in serious injury or death!



Several optional products / systems are available that offer self-recovery or self-extraction from a fall when suspended in a harness. Some systems automatically descend the user while others allow user control. One of these products / systems could be considered for use as an additional safety precaution against prolonged suspension and suspension trauma. Be sure to follow the manufacturer's directions on the safe use of these products / systems. Failure to follow these instructions may result in serious injury or death!



Hunt from the ground when self-recovery / escape ability is absent. Failure to follow these instructions may result in serious injury or death!



There is time to make a correct decision on what action to take if a fall occurs while wearing a full body harness. It is important to remember, "**DO NOT PANIC**". Remain calm and implement your practiced rescue, relief, and recovery plan. Failure to follow these instructions may result in serious injury or death!



The safe use and operation of this product is the sole responsibility of the user. Keep instructions (written and video) in a safe place, and review at least annually, the contents of this instruction manual. Additionally, keep these instructions for the entire duration that you own this product. It is also the sole responsibility of the owner to furnish any person (s) who borrow or purchase this product with the complete instructions. No treestand is complete without a full body fall arrest harness system, and should never be used without a FBFAHS above ground level. Failure to follow these instructions may result in serious injury or death! Additionally, failure to follow this instruction may subject you to the personal liability penalties as determined by the U.S. judicial system.



Never use this treestand during inclement weather such as rain, lightning, windstorms, or icy conditions. Immediately end your hunt and return to the ground if inclement weather conditions arise. Failure to follow these instructions may result in serious injury or death!



Never use a treestand while using drugs (even prescription drugs) or alcohol. Failure to follow these instructions may result in serious injury or death.



Never use a treestand while feeling ill, nauseous or dizzy, or if you have a prior medical condition that could cause a problem, such as heart condition, joints that lock up, spinal fusion, etc., or if you are not well rested. Do not use this product if you have a history of a heart condition or pulmonary issues without consulting with your physician for safe and proper use of this product. Do not use this product unless you are in good physical condition without any physical limitations and have been fully rested the night before. Failure to follow these instructions may result in serious injury or death!



Never use a treestand on a dead, leaning, diseased or loose barked tree, or utility pole. Never rely on a tree branch for support. Never jump or bounce on a treestand to seat it to the tree. Failure to follow these instructions may result in serious injury or death!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 4

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





WARNING! ATTENTION!! WHEN YOU SEE THIS SYMBOL, BE SURE TO HEED THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE!!



Pull up bow, backpack, firearm or other equipment only after being secure in the treestand, and a firearm must be pulled up with it unloaded, chamber open, and muzzle down. Failure to follow these instructions may result in serious injury or death!



Inspect the treestand and all safety devices each time before use and do not store a treestand outdoors when not in use. Correct tightening and adjustment of chains, cables, straps, etc. are critical to stable hang-on installation. All treestand contact points must be in contact with the tree before you step onto the stand. Failure to follow these instructions may result in serious injury or death!



Practice the attachment, installation, adjusting, and using your hang-on treestand at ground level prior to using it at elevated positions in a hunting environment. Failure to follow these instructions may result in serious injury or death!



Use a haul line to raise and lower the treestand. Never climb with anything on your back. Failure to follow these instructions may result in serious injury or death!



If you find that your treestand is un-level, canted, angled awkwardly upward or downward, or in any configuration other than level, immediately climb down to ground level and readjust your treestand as necessary to alleviate the awkward angle. Never attempt to hunt from an un-level treestand. Also, never attempt to level your treestand at heights above the ground. **DO NOT** jump or bounce on the treestand platform (or any of the treestand components) and / or seat to engage the stand to the tree. Do not stand on the treestand seat. Failure to follow these instructions may result in serious injury or death!



Do not use this, or any other Summit product (s) to climb utility poles, telephone poles, structural columns or any other man-made structures. Never use around power generation (transformers, generators, substations, etc.) and / or power transmission equipment. Never hunt out of a treestand at heights at which you are not completely comfortable. Depending on the tree and hunting conditions, choose the minimum hunting height that allows for safe effective hunting. Failure to follow these instructions may result in serious injury or death!



Always use a fall protection device, specifically, a full body harness, and a hand climber or climbing aid while climbing or descending. Failure to follow these instructions may result in serious injury or death!



This Summit treestand product (s) was designed for installation on trees with a minimum diameter of eight (8) inches (20.32cm) to maximum diameter of twenty (20) inches (50.80cm) at treestand installation height. Do not use this product on trees with trunk diameters that do not meet these diameter requirements. Failure to follow these instructions may result in serious injury or death!



Always wear the appropriate foot wear when using a treestand. A good non-slip safety boot is important for your safety. Be especially careful that boot laces do not get hooked on the treestand or its components (tuck shoelaces into boot before climbing). Failure to follow these instructions may result in serious injury or death!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 5

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





COMPONENT / PART #	DESCRIPTION	IMAGE
PART 82109-1	1 HARDWARE PACKET	
2 WRENCHES		
1 V-BRACKET		
1 CAP INSERT		
2 NYLON WASHERS		
1 M8X45MM BOLT / LOCK NUT 1 M8X95MM BOLT / LOCK NUT		

PART 82109-2 1 SEAT CUSHION



PART 82109-3 1 SAFETY HARNESS

FULL BODY SAFETY HARNESS,
LINEMAN'S CLIMBING STRAP,
TREE STRAP,
SUSPENSION RELIEF STRAP
INSTRUCTION MANUAL



PART 82109-4 1 TMA DVD



PART 82109-5 2 EA RATCHET STRAPS



READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT. Page 6

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





SUMMIT FEATHERWEIGHT INSTALLATION INSTRUCTIONS



Before installing your Summit Hang On treestand, a climbing system (i.e., climbing sticks, ladders, sectionals, etc.) which meets or exceeds industry standards recognized by the TMA, must be installed. Failure to follow these instructions may result in serious injury or death!



A full body harness with a lineman's climbing belt must be worn at all times while installing or removing any hang-on climbing aids. When using a climbing / lineman's belt to ascend the tree, the full body harness shall be attached to the tree before stepping down onto the treestand. Never attempt to step onto a treestand until all treestand contact points are secured tightly and firmly to the tree. Failure to follow these instructions may result in serious injury or death!



Hang-on climbing aids (stick ladders, sectional ladders, steps, etc.) must be placed on the tree at a height to extend above the platform a minimum of twenty-four (24) inches (61cm) where the user can maintain a handhold on the unit and allow the user to step downwards onto the treestand platform. Never step up from a climbing device to get into your stand. Failure to follow these instructions may result in serious injury or death!



Sectional ladders and steps should be spaced on the tree to insure each step is no more than eighteen (18) inches (45.72 cm) apart. Check every stick ladder section connection every time you use the stick ladder before you leave the ground. If stick ladder sections are separating, do not use the stick ladder. Failure to follow these instructions may result in serious injury or death!



Prior to attempting to use this or any other Summit product (s) you must take the time and become familiar with its assembly, setup, installation, and removal. You must practice setting-up and using your product (s) and full-body fall arrest harness and its components (lanyard, tether, tree belt, suspension relief device, climbing belt / lineman's belt [as applicable]) at ground-level prior to attempting to use it at heights above ground-level. Once you have become thoroughly knowledgeable and comfortable with this Summit product (s) set-up, installation and use at ground-level, you are now ready to use it at heights above ground-level. Failure to follow these instructions may result in serious injury or death!



The use of an ASTM compliant FBAHS with a lineman's climbing belt is required at all times when installing, using or removing a hang on treestand to stabilize the user with the tree. Failure to follow these instructions may result in serious injury or death!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 7

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





TREE SIZE / WEIGHT LIMIT

STEP 1

SELECT A STRAIGHT, HEALTHY TREE THAT IS NOT LEANING, DISEASED, OR LOOSE BARKED.

TREE MUST HAVE A MINIMUM DIAMETER OF EIGHT (8) INCHES (20.32CM) THAT DOES NOT EXCEED TWENTY (20) INCHES (50.80CM) IN DIAMETER AT TREESTAND INSTALLATION HEIGHT.

300 LB RATED STAND - FEATHERWEIGHT
SU82109



DO NOT EXCEED WEIGHT
LIMITS!

V-BRACKET INSTALLATION (STEPS 2-6 TO BE COMPLETED BEFORE LEAVING GROUND)

STEP 2

PRIOR TO LEAVING THE GROUND, USE ONE (1) EACH M8X45MM BOLT AND LOCK NUT TO ATTACH V-BRACKET TO THE SEAT POST. TIGHTEN SECURELY. (SEE FIGURE 1)




Figure 1

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 8


This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.






STEP 3

USE ONE (1) EACH M8X95MM BOLT AND LOCK NUT, AND TWO (2) NYLON WASHERS TO ATTACH THE SEAT PLATFORM TO THE SEAT POST. TIGHTEN SECURELY. THE SEAT PLATFORM SHOULD BE ABLE TO BE RAISED OR LOWERED AFTER INSTALLATION. (FIGURE 2)



STEP 4

INSTALL THE CAP INSERT AS SHOWN AND PRESS DOWN UNTIL FLUSH WITH THE TOP OF THE SEAT POST (FIGURE 3 & 4)



READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 9

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





RATCHET INSTALLATION

STEP 5

TAKE ONE (1) RATCHET SET AND INSERT THE LOOP END OF THE SHORT RATCHET STRAP THROUGH THE HANGING TAB ON EITHER SIDE OF THE SEAT POST. (SEE FIGURE 5)



FIGURE 5

STEP 5-1

PULL THE RATCHET THROUGH THE LOOP END. (SEE FIGURE 6)



FIGURE 6

STEP 5-2

PULL OUT THE SLACK SO THAT THE STRAP IS FULLY TIGHTENED AROUND THE HANGING TAB (SEE FIGURE 7)



FIGURE 7

⚠️ WARNING

WHEN HUNTING FROM A TREESTAND, FALLS CAN OCCUR ANY TIME AFTER LEAVING THE GROUND! ANY FALL MAY CAUSE SERIOUS INJURY OR DEATH!

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 10

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





STEP 6

REPEAT THE PROCESS USED IN STEPS 5, 5-1, AND 5-2 . USING THE LONG STRAP, PULL THE LOOP END OF THE STRAP THROUGH THE HANGING TAB ON THE OTHER SIDE OF THE SEAT POST. PULL THE OPPOSITE END THROUGH THE LOOP AND PULL TIGHT (SEE FIGURE 8)




FIGURE 8

STEP 7

TIE YOUR PULL-UP (HOIST) ROPE TO YOUR TREESTAND SUCH THAT IT WILL NOT OPEN BEING HOISTED

CAUTION

SHOULD THE TREESTAND OPEN WHILE BEING PULLED-UP (HOISTED) IT WILL BECOME AWKWARD AND DANGEROUSLY CLUMSY.

STEP 8

PLACE THE 2ND SET OF INCLUDED RATCHET STRAPS ON YOUR PERSON (DO NOT HOLD IN HAND).

WARNING

USE A HAUL LINE TO RAISE AND LOWER THE TREESTAND. NEVER CLIMB WITH ANYTHING ON YOUR BACK, OR IN YOUR HANDS. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

STEP 9

WITH YOUR CLIMBING SYSTEM WHICH MEETS OR EXCEEDS ASTM STANDARDS INSTALLED AS OUTLINED IN THE MANUFACTURER'S INSTRUCTION MANUAL, YOU ARE READY TO PROCEED WITH INSTALLING YOUR SUMMIT TREESTAND.

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 11

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





STEP 10

WITH YOUR TREESTAND ATTACHED TO THE PULL-UP ROPE, AND THE TAG-END IN YOUR POSSESSION (DO NOT HOLD IN HAND), CHECK TO ENSURE YOUR LINEMAN BELT IS PROPERLY SECURED TO YOU, AND THE LINEMAN / CLIMBING BELT IS ATTACHED TO THE TREE AND CAREFULLY CLIMB TO THE DESIRED HEIGHT.

STEP 10-1

ONCE YOU REACH THE DESIRED TREESTAND HEIGHT, RE-CHECK TO ENSURE YOUR LINEMAN BELT IS PROPERLY SECURED TO YOU AND THE TREE. MAKE CERTAIN THAT YOU ARE BALANCED AND SECURE ON YOUR CLIMBING SYSTEM. NEXT PULL-UP (HOIST) YOUR HANG-ON TREESTAND.

STEP 11

WHILE SECURLY STANDING ON YOUR CLIMBING SYSTEM AND YOUR LINEMAN BELT SECURELY ATTACHED TO THE TREE, AND WITH YOUR TREESTAND FOLDED WITH THE FOOT PLATFORM IN THE UPRIGHT POSITION, PLACE YOUR TREESTAND AGAINST THE TREE. WHILE HOLDING THE TREESTAND TO THE TREE WITH ONE HAND, TAKE THE PREVIOUSLY INSTALLED LONG STRAP ATTACHED TO THE HANGING TAB ON THE SEAT POST, WRAP IT AROUND THE BACK-SIDE OF THE TREE, AND INSERT THE END THROUGH THE SLOT IN THE RATCHET THAT IS INSTALLED ON THE HANGING TAB ON THE OTHER SIDE OF THE SEAT POST. MAKE SURE THE LONG STRAP IS NOT TWISTED, AND THEN PULL THROUGH ANY SLACK. TIGHTEN THE STRAP BY OPERATING THE RATCHET PORTION OF THE ASSEMBLY UNTIL THE TOP PORTION OF THE STAND IS SECURELY FASTENED TO THE TREE. (SEE RATCHET STRAP ASSEMBLY IN FIGURE 9)



FIGURE 9

WARNING

DO NOT ATTEMPT TO INSTALL ON ANY TREE THAT IS OUTSIDE OF THE PARAMETERS OF THE DIAMETERS LISTED IN THESE INSTRUCTIONS EIGHT (8) INCHES (20.32CM) TO TWENTY (20) INCHES (50.80CM)





STEP 12

THIS SUMMIT TREESTAND IS ALSO EQUIPPED WITH AN ADDITIONAL RATCHET SET WHICH IS DESIGNED TO SECURE THE STANDING PLATFORM TO THE TRUNK OF THE TREE. ONCE THE STAND IS TIGHT TO THE TREE, THE TWO CONTACT POINTS ON THE BACK OF THE STAND ARE ENGAGED WITH THE TREE, AND THE PLATFORM IS LEVEL, THIS RATCHET NEEDS TO BE INSTALLED.

STEP 12-1

INSERT THE LOOP END OF THE RATCHET STRAP THROUGH THE SLOT ON THE SIDE OF THE PLATFORM (FIGURE 10).



FIGURE 10

STEP 12-2

PULL THE RATCHET END THROUGH THE LOOP AND PULL TIGHT (FIGURE 11).



FIGURE 11

STEP 12-3

INSERT THE LOOP END OF THE LONG STRAP THROUGH THE SLOT ON THE OTHER SIDE OF THE PLATFORM, THEN PULL THE TAG END OF THE LONG STRAP THROUGH THE LOOP UNTIL TIGHT (FIGURE 12).



FIGURE 12

WARNING

CONTACT POINTS ON THE BACK OF THE STAND MUST BE ENGAGED AGAINST THE TREE

CONTACT POINTS



READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 13

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





STEP 12-4

PULL THE LONG STRAP AROUND THE TREE AND INSERT THE TAG END INTO THE SLOT IN THE RATCHET. MAKE SURE THE LONG STRAP IS NOT TWISTED AND PULL THRU ANY SLACK.

STEP 12-5

ENSURE THAT THE STRAP IS LEVEL AND TIGHTEN THE STRAP BY OPERATING THE RATCHET PORTION OF THE ASSEMBLY UNTIL THE PLATFORM IS FIRMLY AGAINST THE TREE, THE TWO POINTS ON THE BACK OF THE STAND ARE ENGAGED AGAINST THE TREE (SEE FIGURE 12), AND THE STAND CANNOT BE MOVED OR SHIFTED.

***** SEE FIGURE 9 FOR RATCHET STRAP ASSEMBLY INSTRUCTION**



COMPLETED PLATFORM RATCHET STRAP INSTALLATION

STEP 13

NOW THAT THE TREESTAND IS INSTALLED, BEFORE STEPPING ONTO THE FOOT PLATFORM, DOUBLE CHECK TO BE SURE IT IS SECURED PROPERLY AND IS TIGHT AGAINST THE TREE WITH ALL CONTACT POINTS TOUCHING THE TREE. RE-CHECK YOUR CLIMBING BELT, TREE BELT, AND TETHER CONNECTION TO ENSURE THEY ARE CONNECTED TO THE TREE TRUNK TIGHTLY, AND FIRMLY. CAREFULLY STEP ONTO THE FOOT PLATFORM TO BE SURE YOU HAVE A SOLID FEEL AGAINST THE TREE.

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 14

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





CARE AND MAINTENANCE



THE SEAT ON THIS TREESTAND IS REMOVABLE. IT MUST BE REMOVED AND STORED IN A DRY PLACE WHEN NOT IN USE



THE POWDER COAT FINISH APPLIED AT THE FACTORY IS VERY DURABLE AND SHOULD ONLY NEED TOUCH UPS IN AREAS OF HEAVY WEAR OR ACCIDENTAL IMPACT. USE A HIGH QUALITY, OUTDOOR SPRAY TO COVER ANY BARE METAL AREAS THAT MIGHT DEVELOP. INSPECT THE STAND BEFORE USE, EVERY TIME. DO NOT USE IF ANY CORROSION (RUST) IS PRESENT. SHOULD YOU DAMAGE ANY PART OF YOUR SUMMIT TREESTAND, CONTACT SUMMIT AT (256) 353-0634 TO OBTAIN THE PROPER CORRECTIVE ACTION PROCEDURE AND / OR REPLACEMENT PARTS FOR THE TREESTAND.



THIS SUMMIT PRODUCT IS INTENDED TO BE USED OUTDOORS IN MOST TYPES OF WEATHER CONDITIONS. MAINTENANCE AND INSPECTIONS ARE REQUIRED FOR YEARS OF TROUBLE FREE USE. WHEN NOT IN USE, STORE YOUR TREESTAND OUT OF THE DIRECT SUNLIGHT AND AWAY FROM HARSH ENVIRONMENTAL CONDITIONS THAT MIGHT NEGATIVELY AFFECT ITS PERFORMANCE



ALWAYS WIPE DOWN YOUR PRODUCTS AFTER EACH USE. ALWAYS 100% INSPECT THE PRODUCT BEFORE AND AFTER EACH USE! NEVER ASSUME THAT ANY PART, THAT MAY HAVE BEEN SUBJECTED TO DAMAGE OR WEAR, IS OK TO USE. "STOP USE" IMMEDIATELY AND CONTACT SUMMIT CUSTOMER SERVICE IF YOU HAVE CONCERNS ABOUT YOUR PRODUCT. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

SUMMIT TREESTANDS HAVE THE HIGHEST STRUCTURAL INTEGRITY BY DESIGN, MATERIAL SELECTION, AND MANUFACTURING TECHNIQUES. BUT AS ITS OWNER, ONLY YOUR CONTINUED CARE WILL ASSURE TROUBLE FREE PERFORMANCE. WHEN THE GUIDELINES MENTIONED ABOVE ARE FOLLOWED, YOUR SUMMIT TREESTAND WILL PROVIDE YEARS OF SUCCESSFUL HUNTING.

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 15

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





LIMITED WARRANTY

(A) Warranty

Summit Treestands, LLC (Summit) warrants to the original retail purchaser that all products manufactured by it are free from defects in material and manufacture at the time of shipment for twelve (12) months from the date of purchase. Summit will repair or replace any part found defective if the unit claimed to be defective should be returned to Summit, postage prepaid, within the warranty period.

This warranty does not apply to any product which has been subjected to misuse; misapplication; neglect (including but not limited to improper maintenance); accident; improper installation; modification (including but not limited to use of unauthorized parts or attachments); adjustment or repair. **THE FOREGOING IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED (INCLUDING THOSE OF MERCHANTABILITY AND FITNESS OF ANY PRODUCT FOR A PARTICULAR PURPOSE), AND OF ANY OTHER OBLIGATION OF LIABILITY ON THE PART OF THE COMPANY.**

(B) Limitation of Liability

It is expressly understood that Summit's liability for its products, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to the repair of the product, as stated above, and Summit will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material, arising in connection with the sale, installation, use of, inability to use, or the repair or replacement of Summit's products.

Summit reserves the right to make alterations or modifications to its products at any time, which in its opinion, may improve the performance and efficiency of the product. It shall not be obligated to make such alterations or modifications to products already in service.

Please take the time to fill out the warranty card online at <http://www.summitstands.com/warranty>

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 16

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.





STAND / COMPONENT WARNING LABELS (FOR REFERENCE ONLY)

WARNING LABEL

<p>⚠ WARNING FAILURE TO READ, UNDERSTAND AND FOLLOW ALL INCLUDED MANUFACTURER'S WRITTEN AND VIDEO INSTRUCTIONS AND WARNINGS PRIOR TO USE COULD RESULT IN SERIOUS INJURY OR DEATH!!</p>	<p>⚠ AVERTISSEMENT NE PAS LIRE, COMPRENDRE ET SUIVRE TOUTES LES INSTRUCTIONS ÉCRITES ET PAR VIDÉO DU MANUFACTURIER AINSI QUE LES AVERTISSEMENTS AVANT L'UTILISATION POURRAIT ENGENDRER DES BLESSURES SÉRIEUSES OU LA MORT!!</p>	
<p>Fixed Position Stand Weight Limit (Max): 300 lbs.</p> <ul style="list-style-type: none"> The use of a Full Body Fall Arrest Harness System (FBFAHS) is REQUIRED at all times when using, installing, or removing this product. The harness must be properly attached to the tree as noted in the instructions from the point you leave the ground until you return to the ground. The included harness is provided with a lineman's climbing belt and a tree strap that will allow the user to install, climb up to, descend and fall from the treestand while fully attached to the tree. These items allow the user to be doubly connected when reaching the height of the treestand and ensure that the user may always be attached to the tree. If any part of the FBFAHS is not present or not being properly used, DO NOT LEAVE THE GROUND! Failure to properly use the FBFAHS at all times after leaving the ground may result in serious injury or death. Check treestand and any webbing prior to every use for undue wear, deformity, corrosion or other damage, and all webbing for fraying, rips, tears, cuts, undue wear or any other type of damage. Discontinue use IMMEDIATELY if any damage is present. Inspect tree for suitability and tree size limitations. Never exceed maximum weight limit. A fall can occur any time after leaving the ground. Use extreme caution when using this product. Consult with your physician before use. DO NOT USE THIS PRODUCT UNTIL YOU UNDERSTAND SAFE AND PROPER USE. READ AND FOLLOW ALL INSTRUCTIONS AND WARNINGS PRIOR TO EACH USE! REPLACE ALL WEBBING AND CABLES EVERY TWO YEARS OR SOONER IF ANY DAMAGE IS PRESENT OR SUSPECTED. DO NOT LEAVE THIS PRODUCT IN THE TREE FOR MORE THAN TWO WEEKS AT A TIME. WEATHER, ANIMALS, TREE GROWTH, VANDALS AND/OR OTHER ENVIRONMENTAL CONDITIONS MAY DAMAGE THE PRODUCT AND ITS INTEGRITY. NEVER USE A STAND THAT HAS BEEN LEFT IN A TREE FOR MORE THAN TWO WEEKS. ALWAYS INSPECT THE STAND AND ITS COMPONENTS THOROUGHLY BEFORE EACH USE. STORE INSIDE IN A DRY ENVIRONMENT. ALWAYS PLACE CLIMBING AIDS TO ALLOW THE USER TO STEP DOWN INTO THE STAND. 	<p>Poids maximum: 136 KG.</p> <ul style="list-style-type: none"> L'utilisation d'un harnais complet avec système d'arrêt de chute (HCSAC) est REQUIS en tout temps lors de l'utilisation, de l'installation ou l'enlèvement de ce produit. Le harnais doit être attaché correctement à l'arbre tel que décrit dans les instructions à partir du moment où vous quittez le sol jusqu'au retour vers celui-ci. Le harnais qui est inclus contient une ceinture d'ascension et une courroie pour l'arbre qui permettent à l'utilisateur d'installer, de monter, de descendre et de tomber du mirador en étant attaché à l'arbre. Ces items permettent à l'utilisateur d'être attaché à deux endroits lorsqu'il rejoint le mirador et assure que l'utilisateur doit en tout temps être attaché à l'arbre. Si des items du HCSAC sont manquants ou ne sont pas utilisés adéquatement, NE QUITTEZ PAS LE SOL! L'utilisation inadéquate du HCSAC lorsque vous quittez le sol peut engendrer des blessures sérieuses ou la mort. Vérifiez le mirador avant chaque utilisation pour toute usure excessive, déformation, corrosion ou autres dommages, ainsi que toutes les courroies et câbles pour effilochages, déchirures, fissures, coupures, usure excessive ou pour toute autre forme de dommage. Cessez l'utilisation IMMÉDIATEMENT si vous remarquez ces dommages. Examinez l'arbre pour vérifier son adaptabilité ainsi que les restrictions reliées à sa grosseur. N'excédez jamais la limite de poids maximale. Une chute peut survenir en tout temps à partir du moment où vous quittez le sol. Utilisez ce produit avec une extrême prudence. Consultez votre médecin avant l'utilisation du produit. N'UTILISEZ PAS CE PRODUIT JUSQU'À CE QUE VOUS COMPRENIEZ SON UTILISATION SÉCURITAIRE ET CORRECTE. LISEZ ET SUIVEZ TOUTES LES INSTRUCTIONS ET AVERTISSEMENTS AVANT CHAQUE UTILISATION! REMPLEZ TOUTES LES COURROIES ET CÂBLES À TOUTS LES DEUX ANS OU AVANT SI VOUS NOTEZ OU SOUPÇONNEZ DES DOMMAGES. NE LAISSEZ PAS CE PRODUIT DANS L'ARBRE POUR PLUS DE DEUX SEMAINES À LA FOIS. LA TEMPÉRATURE, LES ANIMAUX, LA CROISSANCE DE L'ARBRE, LE VANDALISME ET/OU AUTRES CONDITIONS ENVIRONNEMENTALES PEUVENT ENDOMMAGER LE PRODUIT ET SON INTÉGRITÉ. NE JAMAIS UTILISER UN MIRADOR QUI A ÉTÉ LAISSÉ DANS UN ARBRE POUR PLUS DE DEUX SEMAINES. VÉRIFIEZ TOUJOURS LE MIRADOR ET CES COMPOSANTES MINUTIEUSEMENT AVANT CHAQUE UTILISATION. ENTREPOSEZ LE PRODUIT DANS UN ENVIRONNEMENT SEC. VEUILLEZ TOUJOURS PLACER LES OUTILS DE MONTAGE DE SORTE QUE 	
<p>Summit Treestands, LLC 715 Summit Dr, Decatur AL 35601 Phone 800-353-0634 www.summitstands.com</p>	<p>Manufactured Date: 2018 Manufacturé en 2018</p>	<p>MADE IN CHINA FABRIQUÉ EN CHINE © STLLC 2018</p>

RATCHET STRAP

<p>• Always inspect this strap for fraying, rips, tears, cuts, corrosion, wear or any other type of damage prior to each use! DO NOT USE IF ANY of this damage is present!</p> <p>• This strap is used on specific Summit Treestands set forth in the instruction manual ONLY! DO NOT use for any other purpose.</p> <p>• A Full Body Fall Arrest Harness System (FBFAHS) is required when installing, removing or using this strap in conjunction with a Summit Treestand. Read and follow the manufacturer's instruction regarding safe use. DO NOT LEAVE THIS PRODUCT OUTDOORS FOR MORE THAN TWO WEEKS AT A TIME. WEATHER, ANIMALS, TREE GROWTH, VANDALS AND/OR OTHER ENVIRONMENTAL CONDITIONS MAY DAMAGE THE PRODUCT AND ITS INTEGRITY. NEVER USE A STAND THAT HAS BEEN LEFT OUTDOORS FOR MORE THAN TWO WEEKS. ALWAYS INSPECT THE STAND AND ITS COMPONENTS THOROUGHLY BEFORE EACH USE. STORE INSIDE IN A DRY ENVIRONMENT.</p>	<p>⚠ WARNING FAILURE TO READ, UNDERSTAND AND FOLLOW ALL INCLUDED MANUFACTURER'S WRITTEN AND VIDEO INSTRUCTIONS AND WARNINGS PRIOR TO USE COULD RESULT IN SERIOUS INJURY OR DEATH!!</p> <p>• This product must be discarded after two (2) years of the manufacture date shown. Failure to discard this Strap as directed could result in serious injury or death. Replacement Straps may be purchased at www.summitstands.com.</p> <p>Summit Treestands, LLC 715 Summit Dr. Decatur, AL 35601 PH# 800-353-0634 www.summitstands.com</p>	<p>Manufacture Date: 2018</p> <p>Month: 2018</p> <p>Made in China</p>
<p>• Vérifiez toujours cette courroie pour effilochages, déchirures, fissures, coupures, corrosion, usure excessive ou pour toute autre forme de dommage avant chaque utilisation!! CESSEZ l'utilisation si vous remarquez ces dommages.</p> <p>• Cette courroie est utilisée EXCLUSIVEMENT avec des miradors Summit tel que présentée dans le manuel d'instruction! N'UTILISEZ PAS ce produit dans tout autre but.</p> <p>• Un harnais complet avec système d'arrêt de chute (HCSAC) est requis lors de l'installation, de l'enlèvement ou l'utilisation de cette courroie avec un mirador Summit. Lisez et suivez les instructions du fabricant pour une utilisation sécuritaire. NE LAISSEZ PAS CE PRODUIT DANS L'ARBRE POUR PLUS DE DEUX SEMAINES À LA FOIS. LA TEMPÉRATURE, LES ANIMAUX, LA CROISSANCE DE L'ARBRE, LE VANDALISME ET/OU AUTRES CONDITIONS ENVIRONNEMENTALES PEUVENT ENDOMMAGER LE PRODUIT ET SON INTÉGRITÉ. NE JAMAIS UTILISER UN MIRADOR QUI A ÉTÉ LAISSÉ DANS UN ARBRE POUR PLUS DE DEUX SEMAINES. VÉRIFIEZ TOUJOURS LE MIRADOR ET CES COMPOSANTES MINUTIEUSEMENT AVANT CHAQUE UTILISATION. ENTREPOSEZ LE PRODUIT DANS UN ENVIRONNEMENT SEC.</p>	<p>⚠ AVERTISSEMENT NE PAS LIRE, COMPRENDRE ET SUIVRE TOUTES LES INSTRUCTIONS ÉCRITES ET PAR VIDÉO DU MANUFACTURIER AINSI QUE LES AVERTISSEMENTS AVANT L'UTILISATION POURRAIT ENGENDRER DES BLESSURES SÉRIEUSES OU LA MORT!!</p> <p>• Ce produit doit être jeté un (2) an après la date du MANUFACTURE EN: fabricant telle qu'indiquée. Si vous ne jetez pas cette courroie selon les directives, de sérieuses blessures ou la mort peuvent survenir. Des courroies de remplacement peuvent être achetées à l'adresse suivante: www.summitstands.com.</p>	<p>MANUFACTURE EN: 2018</p> <p>Mois: 2018</p> <p>FABRIQUÉ EN CHINE</p>

READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

Page 17

This instruction manual complies with the ASTM F2123 – Standard Practice for Treestand Instructions.

